

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"09440285"	US-PGPUB; USPAT	OR	OFF	2003/07/23 18:26
S2	0	"5819054".ap.	US-PGPUB; USPAT	OR	OFF	2003/07/23 18:27
S3	3	"5819054".rpn.	US-PGPUB; USPAT	OR	OFF	2003/07/23 18:35
S4	4	"6012119".urpn.	US-PGPUB; USPAT	OR	OFF	2003/07/23 18:35
S5	8	("4158235" "4300194" "4417334" "4453215" "4486826" "4490785" "4636946" "4695952").pn.	US-PGPUB; USPAT	OR	OFF	2003/07/23 18:36
S6	24	"5819054"	US-PGPUB; USPAT	OR	OFF	2003/07/23 18:37
S7	2	("5337414" "6581128").pn.	US-PGPUB; USPAT	OR	OFF	2003/12/15 16:37
S8	2932	format adj3 converter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/17 16:39
S9	1887	format adj converter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/17 09:15
S10	1059	format adj converter	US-PGPUB; USPAT	OR	OFF	2003/12/17 09:15
S11	0	(format adj converter) near3 data near3 cache near3 bus	US-PGPUB; USPAT	OR	OFF	2003/12/17 09:16
S12	328	(format adj converter) near3 data	US-PGPUB; USPAT	OR	OFF	2003/12/17 09:31
S13	1	((format adj converter) near3 data) near5 cache	US-PGPUB; USPAT	OR	OFF	2003/12/17 09:16
S14	17	((format adj converter) near3 data) near5 bus	US-PGPUB; USPAT	OR	OFF	2003/12/17 09:31
S15	573	(format adj converter) near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/17 09:33
S16	27	(format adj converter) near3 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 09:29
S17	2	"6581128".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/17 14:01
S18	1	(format adj3 converter) and "20010056527"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/17 14:45
S19	1	(format adj3 converter) and "6581128".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/17 14:45
S20	2	"5337414".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/09/17 14:50
S21	12	(format adj3 converter) near10 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/17 16:45
S22	2	"5388013".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 10:26
S23	1234	(longitudinal adj redundancy adj check) or lrc	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 10:27

S24	6	((format adj converter) near10 (storage or host or disk)) and (((longitudinal adj redundancy adj check) or lrc)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 10:27
S25	762651	hitachi.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 10:27
S26	2	((format adj converter) near10 (storage or host or disk)) and (((longitudinal adj redundancy adj check) or lrc) NOT hitachi.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 10:28
S27	1217	((longitudinal adj redundancy adj check) or lrc) NOT hitachi.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 10:55
S28	4722	((data or storage or format) adj (conver\$4)) near10 (storage or host or disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 10:32
S29	2	((((longitudinal adj redundancy adj check) or lrc) NOT hitachi.as.) and (((data or storage or format) adj (conver\$4)) near10 (storage or host or disk))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 10:32
S30	245	(longitudinal adj redundancy adj check) NOT hitachi.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 11:01
S31	2	((longitudinal adj redundancy adj check) NOT hitachi.as.) and (ckd near10 fba)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 10:56
S32	12	((longitudinal adj redundancy adj check) or lrc) near10 (benefit\$ or advantage\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 11:01
S33	3	((longitudinal adj redundancy adj check) NOT hitachi.as.) and (((longitudinal adj redundancy adj check) or lrc) near10 (benefit\$ or advantage\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 11:55
S34	2	"20010056527"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 11:33
S35	0	(code near5 LRC) and (code near5 ERC) and (code near5 CRC)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 11:35
S36	29	(code near5 LRC) and (code near5 CRC)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 11:34
S37	25	((code near5 LRC) and (code near5 CRC)) not hitachi.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 11:35
S38	1	((longitudinal adj redundancy adj check) or LRC) and "S285456".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/19 11:56
S39	0	(ECC near5 cache) near5 (format adj converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/26 14:39
S40	288	ECC near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/26 14:42

S41	0	ECC and "5285456".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/26 14:41
S42	3	ECC and "5285456"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/26 14:41
S43	3	ECC and CRC near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/26 14:55
S44	978	ECC same (advantage\$ or benefit\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/26 14:56
S45	854	ECC same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/26 14:56
S46	108	(ECC same (advantage\$ or benefit\$)) and (ECC same cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/26 14:56
S47	15	(ECC same cache) and (ECC same (benefit\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/26 14:56
S48	113	ECC same (benefit\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/26 15:07
S49	30	"5388013".URPN.	USPAT	OR	ON	2004/04/12 13:39
S50	14	("4947367" "5034914" "5206939" "5301304" "5335352" "5459853" "5465382").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/12 14:17
S51	7	("5530819" "5664144" "5909692" "6185653" "6587919").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/12 14:17
S52	20	((("4947367" "5034914" "5206939" "5301304" "5335352" "5459853" "5465382").pn.) or (("5530819" "5664144" "5909692" "6185653" "6587919").pn.))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/12 15:01
S53	2	((("4947367" "5034914" "5206939" "5301304" "5335352" "5459853" "5465382").pn.) or (("5530819" "5664144" "5909692" "6185653" "6587919").pn.)) and (fba near9 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/12 15:13
S54	37	fba near9 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/13 10:02
S55	158	ckd near10 fba	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/09/17 08:51
S56	214	(format adj converter) near10 (storage or host or disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/09/17 08:52
S57	118	(ckd near10 fba) NOT hitachi.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/09/17 08:52
S58	0	((format adj converter) near10 (storage or host or disk)) same ((ckd near10 fba) NOT hitachi.as.)	US-PGPUB; USPAT	OR	ON	2005/08/18 16:09
S59	0	((format adj converter) near10 (storage or host or disk)) and ((ckd near10 fba) NOT hitachi.as.)	US-PGPUB; USPAT	OR	ON	2004/09/17 08:52

S60	1	((format adj converter) near10 (storage or host or disk)) same (ckd near10 fba)) NOT hitachi.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/09/17 08:53
S61	5	("5206939"   "5581743"   "5664144"   "5724542"   "5778349").PN.	USPAT	OR	ON	2004/09/17 09:10
S62	4	((("5206939"   "5581743"   "5664144"   "5724542"   "5778349").PN.) and (CKD near10 FBA)	USPAT	OR	ON	2004/09/17 09:11
S63	2	"4417334".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/09/17 14:50
S76	22	("4494155" "4509113" "4604686" "4688170" "5155845" "5235689" "5245703" "5367695" "5379382" "5438674" "5590311").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/10 12:14
S77	312	((count adj key adj data) or ckd) with ((fixed adj block architecture) or fba)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/18 16:09
S78	5915	(before or prior or first) near3 (sav\$3 or stor\$3 or mov\$3 or plac\$3 or writ\$3) near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/18 14:34
S79	1	S77 same S78	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/18 14:34
S80	202	((count adj key adj data) or ckd) with ((fixed adj block adj architecture) or fba)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/18 16:57
S81	34	((count adj key adj data) or ckd) with ((fixed adj block adj architecture) or fba) with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/18 16:10
S82	87	((count adj key adj data) or ckd) same ((fixed adj block adj architecture) or fba) same convert\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/18 17:02
S83	27	((count adj key adj data) or ckd) same ((fixed adj block adj architecture) or fba) same convert\$3 same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/18 17:02
S84	213	ckd and fba	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/22 09:06
S86	34	S84 and @ad<="19930630"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/19 14:56
S87	133	ckd and fba and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/22 09:07
S89	74	(format near3 conver\$4) same ((before or prior or ahead or first) near5 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/22 11:11
S90	10	((count adj key adj data) or ckd) same ((fixed adj block adj architecture) or fba) same ((before or prior or ahead or first) near5 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/23 09:58
S91	2394	format adj converter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/23 09:59
S92	17	S91 same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/23 09:59